

The background of the entire page is a light gray with a subtle hexagonal pattern. Overlaid on this are several stylized elements: a large, light blue double arrow pointing left, a network of light blue lines resembling a circuit board, and several interlocking gears of different sizes. One gear in the bottom right corner is a solid blue color, while the others are light gray outlines.


物位仪表 产品手册

Product manual

四联在用户身边，用户在四联心中

精密机械公司产品

Precision Machinery Company Products



精密机械



PT型智能HART压力变送显示器，是采用的德国SENSE公司的陶瓷压阻、扩散硅、陶瓷电容芯片，优质进口元器件，SMD（贴片）制造，经放大变换为标准的电流信号；同时可以就地LCD显示压力。




UCB 静压式液位变送器利用高性能陶瓷电容或阻压式压力传感器与专用集成芯片可靠结合，对液位进行连续测量，现场显式压力传感器与专用集成芯片可靠结合，对液位进行连续测量，现场显示。



UHG系列玻璃管液位计属于一种液位现场显示仪。在液位仅须直观显示领域，它有许多独特的优势，通过现场法兰或螺纹安装，可将各罐体、槽箱等容器内的液位通过透明的玻璃管和标尺形象地反映出来。

精密机械

UHZ系列磁浮子液位计由测量筒和显示装置构成，它将液位的变化传递给现场指示器，显示出液位的实际高度。



UNB型射频导纳物位计是在美国普林柯抗粘附线路的基础上并参考美国其他公司的类似产品开发的，它可以在探测真实物位的同时，消除粘附和悬挂在探头周围的假物位信号的影响。



URD型雷达物位计，针对固体粉料料位、液、浆料进行非接触式的连续测量，现场显示，标准4~20mA输出，不受密度、粉料的疏松程度、温度及加料时的粉尘影响。



精密机械



URL型雷达物位计，针对固体粉料料位、液位、浆料进行非接触式的连续测量，现场显示，标准4~20mA输出，不受密度、粉料的疏松程度、温度及加料时的粉尘影响。



USF系列分离型超声波物位计将现代声学最佳匹配技术和声智能回波处理软件有机结合，对固体、液位、粉尘及泡沫等工况下的物位进行非接触式连续测量。



US系列一体化超声波物位计将现代声学最佳匹配技术和声智能回波处理软件有机结合，对液位、颗粒料位等物位进行非接触式连续测量。

精密机械

UTD系列智能浮筒液位（界面）变送器依据力平衡原理，采用新颖的传感结构，可直接测量浮筒在液体中所受的浮力，很好地解决了储罐静压的影响。

